# Certificate of Analysis

**ILS Laboratories**
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

## CJC-1295 No DAC - 5mg

**PASS**

**Tested for: Vault Tech Labs LLC**
vaulttechlabs.com

| | | | |
|---|---|---|---|
| COA #: | **COA-2026-953326** | Analysis Date: | **07/07/2026** |
| Lot Number: | **VTL-260623-CJC05-01** | Appearance: | **Good** |
| Accession #: | **ACC-2026-6666** | Sample Matrix: | **Lyophilized** |
| Labeled Content: | **5mg** | Vial Size: | **3mL** |
| | | Date Received: | **06/27/2026** |

Scan to verify authenticity at ils-lab.com
**Access Code: CH2NUMYW**

Method: **Purity & Quant (HPLC)**

| Identity | Peptide Purity | |
|---|---|---|
| **CJC-1295 No DAC** | **99.82%** | **Fentanyl Free** |




*CJC-1295 No DAC 5mg - VTL-260623-CJC05-01*

### Purity & Quant (HPLC)

| Analyte | Specification | Result | Unit | Status |
|---|---|---|---|---|
| **Peptide Purity (HPLC)** | >= 95.0% | **99.82%** | % | **PASS** |
| **Net Peptide Content** | Report Only | **5.13** | mg | N/A |
| **Identity (HPLC-RTM)** | CJC-1295 | **Confirmed** | - | **PASS** |
| **Fentanyl Screen** | Immunoassay, 50 ng/mL cutoff | **Not Detected** | - | **PASS** |

### HPLC Chromatogram



*CJC-1295 No DAC 5mg - VTL-260623-CJC05-01: UV Chromatogram*

### Notes & Methodology

1. Date Tested: 07/07/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be CJC-1295 No DAC by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.

**Dr. Greg Kalyuzhny**
Lab Director
7/7/2026

COA #: **COA-2026-953326**
Access Code: **CH2NUMYW**
Verify: portal.ils-lab.com/verify/7nnxouDrt68A6i43
Issued: 7/7/2026